HARNESSES, BELTS & ACCESSORIES

# Miller AirCore Front D-Ring Harness

Miller AirCore Front D-ring Harness

### Overview



eedback

#### FOR USE IN CLIMBING & CONFINED SPACES

The Miller AirCore™ Harness was specially designed for the most demanding applications of professional users. Now available with a front Dring: the harness is perfect for ladder climbing: descent or rescue positioning tasks: improving comfort: safety and productivity on the jobsite.

#### Durable

The AirCore™ harness is built with strong: lightweight webbing and a front D-ring that is highly corrosion-resistant: yet not stiff or coarse.

#### Ergonomic Design

Its contoured design minimizes contact around a worker's neck: lower back: and inner thighs to reduce chafing and improve comfort.

#### Features & Benefits:

#### Comfortable

- Open-core padding technology for softness: breathability: and moisture control
- Up to 16% less surface area than other padding used on the market
- The patented Miller DuraFlex® stretchable webbing maintains comfort at all times without compromising on mobility

#### Mobility

- Unique cam buckles on the shoulder straps ensures vertical comfort
- Quick-connect chest buckles provide easy donning and doffing
- 16% lighter in weight than competitive harnesses with aluminum hardware
- 20% lighter than harnesses with steel hardware

### **Specifications**

Harness Size	Chest Strap Buckle Type	Shoulder Strap Buckle Type
• 2/3 XL	Quick-Connect	Cam Buckle
• 4XL	Quick-Connect	Cam Buckle
• U		
• S/M		
• XS		
Harness Style	Shoulder Padding	Sub-Pelvic Strap
Stretchable	• Yes	• Yes
Stretchable	• Yes	• Yes
Leg Strap Buckle Type	Padding Location	Webbing Material
Tongue Buckle	• Leg	Polyester
• Quick-Connect	Shoulder	<ul> <li>Polyester</li> </ul>
	• Lumbar	
D-Ring Locations	RFID	Padding Material
• Side	• Yes	<ul> <li>Polyurethane</li> </ul>
• Back	• Yes	<ul> <li>Polyurethane</li> </ul>
• Front		
		5.5
Webbing Type	Webbing Color	D-Ring Material
Stretchable	• Green	• Steel
Stretchable	• Blue	• Steel
Product Type		
Froduct Type		

## **Product Number**

• Harness Degrees Celsius

## SKUs

SKU	Description
ACF-QC23XB	AIRC STL FRT D QC XXL BLUE
ACF-QC23XG	AIRC STL FRT D QC XXL GREEN
ACF-QC4XB	AIRC STL FRT D QC XXL BLUE - 4XL
ACF-QCBDP23XB	AIRC STL FRT D QC PAD SD XXL
ACF-QCBDP4XB	AIRC STL FRT D QC PAD SD XXXXL
ACF-QCBDPSMB	AIRC STL FRT D QC PAD SD S/M
ACF-QCBDPXSB	AIRC STL FRT D QC PAD SD XS
ACF-QCBDPXSG	AIRC STL FRT D QC PAD SD XS
ACF-QCDSMB	AIRC STL FRT D QC SD S/M BLUE





 $\frac{\text{Miller AirCore}^{\text{\tiny{TM}}} \text{ Harness with}}{\text{Aluminum Hardware}}$ 



<u>Miller AirCore Harness with Steel</u> <u>Hardware</u>



The key to keeping workers safe is to avoid injuries in the first place. That begins with establishing cultural guidelines that help workers make the right decisions and build an atmosphere of trust.

DOWNLOAD WHITEPAPER →

### Honeywell

Safety and Productivity Solutions 855 S Mint St Charlotte, NC 28202 800-582-4263

www.sps.honeywell.com

Miller AirCore Front D-ring Harness © 2023 Honeywell International Inc.

All rights reserved.



This document was generated on 2023-04-30 8:54:33 PM (YYYY-MM-DD, HH:mm:ss). Subject to change without notice.

eedback