HARNESSES, BELTS & ACCESSORIES

Miller H700 Full Body Harness

Poorly designed fall protection PPE makes it difficult to keep you and your work safe, compliant, and efficient.

Overview

As a global leader in fall protection, our legacy informs our future. We've learned that poorly designed fall protection PPE makes it difficult to keep you and your work safe, compliant, and efficient. To addres this, we've developed the new Honeywell Miller® H700 Full Body Harness, utilizing ergonomic scientific findings to improve safety and comfort.

Evidence Driven Features & Benefits

Innovated to Help Protect Lives

• ONE-PULL TRAUMA RELIEF STEP for suspension trauma relief

We've radically simplified what is usually a complicated 4-step process. By integrating a patented release mechanism for quick deployment of our two high-performance One-Pull Trauma Relief Steps (one for each foot), the suspended person conveniently stands up in the Miller H700 harness. The pressure being applied to the arteries and veins around the top of the legs is quickly relieved, avoiding the risk of serious injury or death. See user instructions.

Designed for Ergonomic Safety

• CONFIGURABLE LEG STRAP DESIGN for customizable comfort

The new Pivot Strap Adjuster offers worker mobility and comfort, allowing workers to adjust the shape of their leg straps, depending on the action that needs to be performed (crouching, bending, crawling, etc.) It also allows for adjustment of the back webbing, for a more customized comfort fit.

• PRACTICAL INTEGRATED SRL CONNECTOR

The convenient Self-Retracting Lifeline (SRL) integrated connector allows for easy attachment of personal single/twin SRLs and carbineers.

• USER-FRIENDLY LANYARD KEEPERS & TOOL TETHER ANCHORS

Tool tether anchors and lanyard keepers are also positioned in several convenient locations, including front and waist.

Engineered with Innovative Materials

Feedback

Find out more about Honeywell Miller® H700 safety harnesses:

Miller H700 Harness Construction Comfort (CC)

Miller H700 Harness Industry Comfort (IC)

• OSHA 1926.502- ANSI Z359.11 – 2021

Specifications

OTHERS

RFID ● no	Shoulder Strap Buckle Breaking Strength • 4000 US Pound BRP	Chest Strap Buckle Breaking Strength • 4000 • 4000 US pound BRP
Leg Strap Buckle Breaking Strength 4000 US pound BRP 4000	Shoulder Strap Buckle Material • Anodized aluminum	Belt Buckle Breaking Strength • 4000 US pound BRP • 4000
Chest Strap Buckle Material • Anodized aluminum	Shoulder Strap Buckle Type • Cam buckle	Webbing Breaking Strength • 5000 • 5000 US pound BRP
Leg Strap Buckle Material • Anodized aluminum	Maximum Weight Capacity • 420 • 420 US pound BRP	Chest Strap Buckle Type • Quick-Connect (QC)
Leg Strap Buckle Type • Tongue buckle	Attachment Point Type • D-ring	Belt Buckle Material • Brass Plating
Water Permeability • yes	Number of D-Rings • 4	Webbing Material • Polyester
Suspension Loops • yes	Sub-Pelvic Strap • yes	Shoulder Padding • yes
Padding Material Polyester/Polyurethane	Padding Location • Shoulder/back; Lumbar	Back; Front; Side
Belt Buckle Type grommet	D-Ring Material • Anodized aluminum	Product Weight8.22 - 8.88 US pound BRP8.22 - 8.88
Product Family • Miller H700 Full Body Harness Comfort	Webbing Color • Dark grey	Lanyard Rings • yes
Harness Style • Vest style	Belt Material • Polyester	Webbing Type • premium water repelent
Rescue Loops • yes	Product Type • Harness Degrees Celsius	Harness Size • XS-S/M-UNIV-XXL-3/4XL
Standards	Belt Type	

• removable

Honeywell

Safety and Productivity Solutions 855 S Mint St Charlotte, NC 28202 800-582-4263

Miller H700 Full Body Harness

© 2023 Honeywell International Inc. All rights reserved.



www.sps.honeywell.com

This document was generated on 2023-04-30 8:39:32 PM (YYYY-MM-DD, HH:mm:ss). Subject to change without notice.