# Miller Rope Grabs And Lifelines

Miller Rope Grabs and Lifelines

### Overview



eedback

#### **CONTINUOUS FALL PROTECTION**

Miller Rope Grabs move easily up and down vertical lifelines to provide continuous fall protection. Designed for use with Miller synthetic rope lifelines secured to an anchorage independent of the worker's platform.

Increased ProductivityTrailing rope grab models offer complete hands-free operation for increased productivity. In the event of a fall: Miller Rope Grabs lock quickly.

#### **Durability & Dependable**

Corrosion – resistant stainless steel construction provides increased durability. Rope grabs are designed for use with 5/8-in. (16 mm) synthetic rope lifeline with a minimum tensile strength of 5:000 lbs. (22kN).

#### Features & Benefits:

#### Miller Rope Grabs

- Compact design: corrosion-resistant stainless steel construction
- Lightweight and easy to use
- Rated to 310-lbs. (140.6 kg) capacity

#### Miller Lifelines

- Standard lifeline lengths are 25 ft. (7.6 m): 50 ft. (15 m): 75 ft. (23 m): and 100 ft. (30 m):
- Additional lengths are available

# **Specifications**

#### Maximum Weight Capacity

• 141 keg

• 141 US Pound

#### Connector Type

• Snap Hook

#### Standards

- ANSI Z359.1
- ANSI A10.32
- OSHA 1926.502
- OSHA 1910.66

#### Rope Thickness

• 19

• 19 millimetre

#### Tensile Strength

• 22.2 US Pound

• 22.2 kilonewton

#### Connector Material

Clear Zinc Chromate Plated Forged Alloy

Steel

#### Rope Material

• Synthetic

#### **Connector Opening**

• 19 millimetre

• 19 millimetre

#### Anti-Panic Feature

Yes

### **Product Number**

## **SKUs**

SKU Description

100110/25FT ROPE W/ROPE GRAB & LNYD

193R/20FTYL Tagline for self-retracting lifeline – 20'

193R/30FTYL Tagline for self-retracting lifeline - 30'

300L-Z7/15FTBL POLYSTL LL W/SNP & LOOP-ANSIZ7

8172C/ Stainless steel trailing wire rope grab w/carabiner

Stainless steel trailing rope grab w/ANSI Z359.13 8175SLS-Z7/3FTYL

Compliant 3' SofStop lanyard

BD-00023 PWR CLIMBER SS ROPE GRAB



The key to keeping workers safe is to avoid injuries in the first place. That begins with establishing cultural guidelines that help workers make the right decisions and build an atmosphere of trust.

 $\underline{\mathsf{DOWNLOAD}\;\mathsf{WHITEPAPER}} \to$ 

Honeywell

Safety and Productivity Solutions 855 S Mint St Charlotte, NC 28202 800-582-4263

#### Miller Rope Grabs and Lifelines

© 2023 Honeywell International Inc. All rights reserved.



www.sps.honeywell.com

This document was generated on 2023-04-30 9:31:32 PM (YYYY-MM-DD, HH:mm:ss). Subject to change without notice.